

FIRST[®] Mouthwash BLM R

Diphenhydramine HCl, Lidocaine HCl, Aluminum Hydroxide, Magnesium Hydroxide, and Simethicone Compounding Kit

**Non-FDA Approved Compounding Kit:
For Pharmacist Use Only**

DESCRIPTION

Each FIRST[®]- Mouthwash BLM Compounding Kit is comprised of bulk diphenhydramine hydrochloride powder USP and bulk lidocaine hydrochloride powder USP for oral use.* FIRST[®]- Mouthwash BLM Compounding Kit also contains a suspension containing: aluminum hydroxide, ammonium glycyrrhizate, benzyl alcohol, butylparaben, cherry flavor, dextrose, ethyl maltol, FD&C Red No.28, FD&C Red No.40, magnesium hydroxide, propylparaben, purified water, saccharin sodium, simethicone emulsion, and sorbitol solution (corn-derived).* When compounded, FIRST[®]-Mouthwash BLM provides a homogeneous suspension containing diphenhydramine hydrochloride, lidocaine hydrochloride, aluminum hydroxide, magnesium hydroxide, and simethicone emulsion.

Size	4 FL OZ	8 FL OZ
Product Code	65628-050-04	65628-050-01
Bulk Diphenhydramine HCl USP Powder	0.1 g	0.2 g
Bulk Lidocaine HCl USP Powder	0.8 g	1.6 g
FIRST [®] - Mouthwash Suspension	118 mL	236 mL

COMPOUNDING DIRECTIONS:



1. FIRST[®]- Mouthwash BLM Compounding Kit contains premeasured diphenhydramine hydrochloride powder, lidocaine hydrochloride powder, and mouthwash suspension (aluminum hydroxide, magnesium hydroxide, simethicone plus inactive ingredients).

2. **Important** - Before dispensing, with your finger, tap the top and bottom of the lidocaine hydrochloride bottle. Open the suspension bottle and empty the lidocaine hydrochloride powder into the suspension.

With your finger, tap the top and bottom of the diphenhydramine hydrochloride bottle. Due to the hygroscopic nature and small volume of the powder, remove the cap and use the enclosed spatula to empty the contents into the mouthwash suspension.

Close the suspension bottle and shake it vertically for approximately 20-30 seconds. The appropriate quantities of diphenhydramine hydrochloride powder and lidocaine hydrochloride powder have been packaged in each bottle to deliver the required dosage of each API. Residual quantities remaining in the bottles after emptying need not be rinsed out.

3. Shake bottle well before each use.



Prior to compounding, store FIRST[®]- Mouthwash BLM Compounding Kit at room temperature between 15°C–30°C (59°F–86°F) [see USP]. Also store final formulation at room temperature, 15°C–30°C (59°F–86°F) for no later than 180 days.**

For oral use only. Avoid contact with eyes. Keep container tightly closed. Keep out of the reach of children. Protect from light. Protect from freezing. The beyond-use date of the compounded product, as dispensed, when stored at room temperature is *not later than 180 days*.

FIRST[®]- Mouthwash BLM Compounding Kit are available as follows:

4 FL OZ (119 mL) as dispensed	65628-050-04
Bulk Diphenhydramine HCl USP Powder	65628-056-04
Bulk Lidocaine HCl USP Powder	65628-057-04
FIRST [®] - Mouthwash Suspension	65628-055-04
8 FL OZ (237 mL) as dispensed	65628-050-01
Bulk Diphenhydramine HCl USP Powder	65628-056-01
Bulk Lidocaine HCl USP Powder	65628-057-01
FIRST [®] - Mouthwash Suspension	65628-055-01

* Certificate of Analysis on file

** Data and documentation on file

R ONLY

Revised: October 2024

Manufactured for:

 **azurity**[®]
pharmaceuticals
Woburn, MA 01801 USA
www.azurity.com


Cherry
Flavor



65628-00326

REV: 05